Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7307	((417/26,28,44.1,32,310,410.5) or (310/87,89)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/20 12:38
L2	5	1 and compresor and motor and (valve or sensor)	US-PGPUB; USPAT	OR	ON	2005/01/20 12:38
L3	12	1 and compresor and motor and (valve or sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 12:38
L4	655	1 and compressor and motor and (valve or sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 12:39
L5	19	1 and compressor and motor and (valve or sensor) and (high near2 voltage) and (low near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 12:47
L6	0	417/S.ccls. and (scroll near3 compressor) and motor and (valve or sensor) and (high near2 voltage) and (low near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:32
L7	9	"417"/$.ccls. and (scroll near3 compressor) and motor and (valve or sensor) and (high near2 voltage) and (low near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 12:48
L8	10	"417"/$.ccls. and (scroll near3 compressor) and motor and (valve or sensor) and (high near3 voltage) and (low near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 12:52
L9	27	(scroll near3 compressor) and motor and (valve or sensor) and (high near3 voltage) and (low near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 12:57

L10	1527	(scroll near3 compressor) and motor and (valve or sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 12:57
L11	421	"417"/$.ccls. and (scroll near3 compressor) and motor and (valve or sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:27
L12	21	"417"/$.ccls. and (scroll near3 compressor) and motor and ((valve near3 solenoid) with sensor)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:28
L13	0	417/S.ccls. and (scroll near3 compressor) with ((high near2 voltage) and (low near2 voltage))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:33
L14	0	(scroll near3 compressor) with ((high near2 voltage) and (low near2 voltage))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:33
L15	1	(scroll near3 compressor) with ((high near2 voltage) or (low near2 voltage))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:33
L16	1	("5547344").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/20 15:06
L17	1	16 and voltage	US-PGPUB; USPAT	OR	ON	2005/01/20 15:07
L18	0	16 and ((high or low) with voltage)	US-PGPUB; USPAT	OR	ON	2005/01/20 15:08
L19	1	16 and sensor	US-PGPUB; USPAT	OR	ON	2005/01/20 15:08
S1	2	(("5200872") or ("5509786")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/07/12 12:51
S2	1924	(417/26,28,44.1,32,310,410.5). CCLS.	USPAT; USOCR	OR	OFF	2005/01/20 12:36
S3	0	(("417/26,28,44.1,32,310,410.5"). CCLS.) and compressor and scroll and motor and (high adj voltage)	USPAT	OR	ON	2001/10/01 09:48

S4	15	(("417/26,28,44.1,32,310,410.5"). CCLS.) and compressor and scroll and motor and high and voltage	USPAT	OR	ON	2001/05/08 10:03
S5	13	(("417/26,28,44.1,32,310,410.5"). CCLS.) and compressor and scroll and motor and high and low and voltage	USPAT	OR	ON	2001/05/08 11:59
S6	10	(("417/26,28,44.1,32,310,410.5"). CCLS.) and compressor and scroll and motor and high and low and voltage and valve	USPAT	OR	ON	2001/05/08 12:00
S7	1945	(417/26,28,44.1,32,310,410.5). CCLS.	USPAT; USOCR	OR	OFF	2001/08/23 13:56
S8	78	(("417/26,28,44.1,32,310,410.5"). CCLS.) and microprocessor	USPAT	OR	ON	2001/08/23 14:09
S9	27	(("417/26,28,44.1,32,310,410.5"). CCLS.) and microprocessor and compressor	USPAT	OR	ON	2001/08/23 14:14
S10	10	microprocessor and compressor and thermal and protector and sensor and motor and transformer	USPAT	OR	ON	2001/09/27 11:20
S11	4	microprocessor and compressor and thermal and protector and sensor and motor and transformer and valve	USPAT	OR	ON	2001/08/23 14:16
S12	10	microprocessor and compressor and thermal and protector and sensor and motor and (monitor$3 or diagnostic)	USPAT	OR	ON	2001/08/23 14:28
S13	6	microprocessor and compressor and thermal and protector and sensor and motor and (monitor$3 or diagnostic)and transformer	USPAT	OR	ON	2001/08/23 15:10
S14	21	microprocessor and (scroll adj compressor)	USPAT	OR	ON	2001/08/23 15:11
S15	3	microprocessor and (scroll adj compressor) and sensor and voltage	USPAT	OR	ON	2001/08/23 15:11
S16	12	microprocessor and (scroll adj compressor) and sensor	USPAT	OR	ON	2001/08/23 15:26
S17	1	("5076067").PN.	USPAT; USOCR	OR	OFF	2001/08/23 15:26
S18	0	(("5076067").PN.) and low and high and voltage	USPAT	OR	ON	2001/08/23 15:27
S19	0	(("5076067").PN.) and (low or high) and voltage	USPAT	OR	ON	2001/08/23 15:27
S20	0	(("5076067").PN.) and voltage	USPAT	OR	ON	2001/08/23 15:27

S21	10	microprocessor and compressor and thermal and protector and sensor and motor and transformer	USPAT	OR	ON	2001/09/27 11:22
S22	4420	microprocessor and compressor	USPAT	OR	ON	2001/09/27 11:24
S23	6	microprocessor and (compressor adj shell)	USPAT	OR	ON	2001/09/27 11:24
S24	5	(("4830576") or ("5785013") or ("5893705") or ("5454697") or ("5156535")).PN.	USPAT; USOCR	OR	OFF	2001/10/01 09:43
S25	0	((("4830576") or ("5785013") or ("5893705") or ("5454697") or ("5156535")).PN.) and microprocessor	USPAT	OR	ON	2001/10/01 09:44
S26	1953	(417/26,28,44.1,32,310,410.5). CCLS.	USPAT; USOCR	OR	OFF	2001/10/01 09:49
S27	79	((417/26,28,44.1,32,310,410.5). CCLS.) and microprocessor	USPAT	OR	ON	2001/10/01 10:40
S28	1	("6174136").PN.	USPAT; USOCR	OR	OFF	2001/10/01 10:40
S29	1	(("6174136").PN.) and voltage and low and high	USPAT	OR	ON	2001/10/01 10:41
S30	0	(("6174136").PN.) and ((low adj voltage) or (high adj voltage))	USPAT	OR	ON	2001/10/01 10:42
S31	1635	microprocessor and compressor and (hermetic or housing or shell)	USPAT	OR	ON	2002/02/06 14:32
S32	1778	microprocessor and compressor and (hermetic or housing or shell or casing)	USPAT	OR	ON	2002/02/06 14:33
S33	1732	microprocessor and compressor and (hermetic or housing or shell or casing) and (inside or within or interior)	USPAT	OR	ON	2002/02/06 14:34
S34	322	microprocessor and compressor and (hermetic or housing or shell or casing) and (inside or within or interior) and (electric adj motor)	USPAT	OR	ON	2002/02/06 15:36
S35	23	microprocessor with compressor and (hermetic or housing or shell or casing) with (inside or within or interior) and (electric adj motor)	USPAT	OR	ON	2002/02/06 15:42
S36	3	microprocessor with compressor with (inside or within or interior) and (hermetic or housing or shell or casing) and (electric adj motor)	USPAT	OR	ON	2002/02/06 15:47
S37	0	microprocessor near compressor near (inside or within or interior)	USPAT	OR	ON	2002/02/06 15:48
S38	0	microprocessor near1 compressor near1 (inside or within or interior)	USPAT	OR	ON	2002/02/06 15:48

S39	0	microprocessor near1 compressor near1 (inside or within)	USPAT	OR	ON	2002/02/06 15:49
S40	4	microprocessor near2 compressor near2 (inside or within)	USPAT	OR	ON	2002/02/06 15:52
S41	60	microprocessor with compressor with (inside or within)	USPAT	OR	ON	2002/02/06 15:53
S42	2	((("6271609") or ("6147465") or ("4934041")).PN.) and microprocessor	USPAT	OR	ON	2002/02/28 12:37
S43	3	(("6271609") or ("6147465") or ("4934041")).PN.	USPAT; USOCR	OR	OFF	2002/02/28 12:42
S44	638	(417/902).CCLS.	USPAT; USOCR	OR	OFF	2002/02/28 12:42
S45	1	((417/902).CCLS.) and microprocessor	USPAT	OR	ON	2002/02/28 12:43
S46	0	((("4850812") or ("4204810")).PN.) and microprocessor	USPAT	OR	ON	2002/02/28 13:33
S47	2	(("4850812") or ("4204810")).PN.	USPAT; USOCR	OR	OFF	2002/02/28 13:32
S48	1794	(310/87,89).CCLS.	USPAT; USOCR	OR	OFF	2002/02/28 13:33
S49	15	((310/87,89).CCLS.) and microprocessor	USPAT	OR	ON	2002/02/28 13:33
S50	5362	microprocessor and compressor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 13:43
S51	15	microprocessor and (sealed adj compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 13:34
S52	4485	(microprocessor and compressor) and (inside or within)	US-PGPUB; USPAT	OR	ON	2002/04/11 13:40
S53	7	microprocessor and (compressor adj shell)	US-PGPUB; USPAT	OR	ON	2002/04/11 13:36
S54	2533	(microprocessor and compressor) and motor	US-PGPUB; USPAT	OR	ON	2002/04/11 13:41
S55	1717	(microprocessor and compressor) and (shell or housing)	US-PGPUB; USPAT	OR	ON	2002/04/11 13:42
S56	309	(microprocessor and compressor) and (low adj voltage)	US-PGPUB; USPAT	OR	ON	2002/04/11 13:42

S57	5362	microprocessor and compressor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 13:43
S58	314	(microprocessor and compressor) and (low adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 14:20
S59	2	microprocessor with within adj compressor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 14:21
S60	2	microprocessor adj within adj compressor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 14:22
S61	2	microprocessor adj within adj2 compressor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 14:23
S62	0	microprocessor adj inside adj2 compressor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 14:23